

OpenLCB Standard	
OpenLCB-TCP Segment Transfer	
Jul 23, 2011	Preliminary

1 Introduction (Informative)

This specification describes ...

2 Intended Use (Informative)

Reliable byte-stream link, e.g. a TCP/IP connection.

5 3 References and Context (Normative)

This specification is in the context of the OpenLCB-CAN ... Specification, which specifies ...

For more information on format and presentation, see:


- OpenLCB Common Information Technical Note

4 Message Form (Normative)

10 Individual messages are preceded by a preamble that contains:

- Flags - 16 bit quantity, the most-significant bits are reserved. The least significant bit indicates whether the remaining message is a common OpenLCB message or some other message. The 2nd bit is a chaining bit, indicating that another header is contained within this one.
- 15 • Originating gateway Node ID – the Node ID of the gateway that send/forwarded this message onto the point-to-point or multicast link. May or may not be the original source of the message.
- Message capture time at originating gateway - a 32-bit (64-bit?) number of monotonic milliseconds (microseconds?) since (before) the connection was created; no time synchronization with other nodes implied; could have been a sequence number
- 20 • Number of bytes in rest of message, a 16-bit quantity.

25



OpenLCB Standard	
OpenLCB-TCP Segment Transfer	
Jul 23, 2011	Preliminary

Below this is just a collection of pieces from other docs right now.

Table of Contents

Title.....	1
Section Title.....	2
Section Title.....	2